



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MANUDISH ORIGINAL 10X1 L SCAN
Identification number : 61065

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Prevention:

P280 Wear protective gloves/ eye protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

P337 + P313

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Disposal:
P501

Dispose of contents/ container to an approved waste disposal plant.

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318	>= 5 - < 10
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	147170-44-3 931-296-8 01-2119488533-30	Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 4 - 10 % 2; H319 > 10,0 % 1; H318	>= 2 - < 2,5
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	110615-47-9 01-2119489418-23	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL > 12 - 30 % 1; H318 1 - 12 % 2; H319	>= 1 - < 2

For explanation of abbreviations see section 16.



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during firefighting : No information available.
- Hazardous combustion products : No hazardous combustion products are known



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

- Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

- For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:

- End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 2750 mg/kg
- End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 175 mg/m³
- End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 1650 mg/kg
- End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 52 mg/m³
- End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 15 mg/kg
- End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,132 mg/cm²
- End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,079 mg/cm²



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 147170-44-3: : End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 44 mg/m3

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 12,5 mg/kg

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 7,5 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 7,5 mg/kg

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides 110615-47-9: : End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 595000 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 420 mg/m3

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 357000 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 124 mg/m3

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 35,7 mg/kg

PNEC

Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3: : Fresh water
Value: 0,24 mg/l

Marine water
Value: 0,024 mg/l

Fresh water sediment



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

Value: 0,9168 mg/kg
Marine sediment
Value: 0,09168 mg/kg
Soil
Value: 7,5 mg/kg
STP
Value: 10000 mg/kg
intermittent release
Value: 0,071 mg/l

**1-Propanaminium, 3-amino-N-
(carboxymethyl)-N,N-
dimethyl-, N-coco acyl derivs.,
hydroxides, inner salts
147170-44-3:**

: Fresh water
Value: 0,0135 mg/l

Marine water
Value: 0,00135 mg/l

STP
Value: 3000 mg/l

Marine sediment
Value: 0,1 mg/kg

Soil
Value: 0,8 mg/kg

**D-Glucopyranose, oligomeric,
C10-16-alkyl glycosides
110615-47-9:**

: Fresh water
Value: 0,176 mg/l

Marine water
Value: 0,018 mg/l

Fresh water sediment
Value: 1,516 mg/kg

Marine sediment
Value: 0,065 mg/kg

Soil
Value: 0,654 mg/kg

STP
Value: 5000 mg/l

intermittent release
Value: 0,0295 mg/l

8.2 Exposure controls



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

Personal protective equipment

Eye protection : If splashes are likely to occur, wear:
Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.
Chemical resistant gloves made of butyl rubber or nitrile rubber
category III according to EN 374-1: 2003 (0,4 mm).

Remarks : Take note of the information given by the producer concerning
permeability and break through times, and of special workplace
conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : Not required; except in case of aerosol formation.
Recommended Filter type:
ABEK-P3-filter

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : green

Odour : neutral

Odour Threshold : No data available

pH : ca. 5,5

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Burning rate : No data available

Lower explosion limit : No data available

Upper explosion limit : No data available



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,022 g/cm ³
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: ca. 500 mPa.s
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.
Other information : No hazardous decomposition products are known.



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

- Skin corrosion/irritation : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
- Serious eye damage/eye irritation : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.
- Respiratory or skin sensitisation : No data available
- Further information : No data available

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

- Acute oral toxicity : LD50 Oral Rat: 4.100 mg/kg
Method: OECD Test Guideline 401
GLP: no
- LD50 Oral Rat: 2.000 - 5.000 mg/kg
Method: OECD Test Guideline 401
Test substance: see user defined free text
- LD50 Oral Rat: > 5.000 mg/kg
Method: OECD Test Guideline 401
Test substance: see user defined free text
- Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
- Skin corrosion/irritation : Species: Rabbit
Method: OECD Test Guideline 404
- Serious eye damage/eye irritation : Species: Rabbit
Method: OECD Test Guideline 405
Test substance: see user defined free text
- Species: Rabbit
Method: OECD Test Guideline 405
Test substance: see user defined free text
- Respiratory or skin sensitisation : Test Method: Maximisation Test



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.
Method: OECD Test Guideline 406

Germ cell mutagenicity

Genotoxicity in vitro : Result: negative
Method: OECD Test Guideline 471

Reproductive toxicity : Species: Rat
Application Route: Oral
NOAEL: > 300 mg/kg,
F1: > 300 mg/kg, Method: OECD Test Guideline 416

Teratogenicity : Species: Rat
Application Route: Oral
>1.000 mg/kg
> 1.000 mg/kg
Method: see user defined free text

Repeated dose toxicity : Rat: NOAEL: > 225 mg/kg
Application Route: Oral
Exposure time: 90 Days
Method: see user defined free text
Target Organs: Liver

STOT - repeated exposure : Exposure routes: Ingestion
Target Organs: Liver

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Acute oral toxicity : LD50 Oral : > 8.000 mg/kg
Method: OECD Test Guideline 401

LD50 Rat: 2.335 mg/kg

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg

Reproductive toxicity : Species: Rat
Application Route: Oral
NOAEL: 300 mg/kg

Teratogenicity : Species: Rat
Application Route: Oral
1.000 mg/kg
100 mg/kg
Method: see user defined free text



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

Repeated dose toxicity : Rat, male and female: NOAEL: 300 mg/kg
Application Route: Oral
Exposure time: 90 d
Method: see user defined free text

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Acute oral toxicity : LD50 Oral : > 5.000 mg/kg

Acute dermal toxicity : LD50 Dermal : > 5.000 mg/kg
Method: OECD Test Guideline 402

SECTION 12: Ecological information

12.1 Toxicity

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Fish): > 1 - 10 mg/l
Test Type: semi-static test
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l
Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l
Exposure time: 28 d
Test Type: flow-through test
Method: OECD Test Guideline 204

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 7,4 mg/l

EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 0,27 mg/l
Exposure time: 21 d
Test Type: flow-through test



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

	Method: OECD Test Guideline 211
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
	EC50 (Scenedesmus subspicatus): 10 - 100 mg/l Method: OECD Test Guideline 201
	EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
	NOEC : 0,95 mg/l Test Type: Growth inhibition Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Test Type: Cell multiplication inhibition test Method: DIN 38412 GLP: yes
	EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test GLP:
Toxicity to fish (Chronic toxicity)	: NOEC: 1,2 mg/l
	NOEC: 1 - 10 mg/l Species: Leuciscus idus (Golden orfe)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 0,1 - 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Toxicity to fish	: LC50 (Calamus penna): 1,11 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
	EC10 (Fish): 1,11 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 6,5 mg/l Exposure time: 48 h Test Type: static test



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

	Method: OECD Test Guideline 202
	EC50 (<i>Daphnia magna</i> (Water flea)): 0,3 mg/l
	Exposure time: 21 d
	Method: OECD Test Guideline 211
Toxicity to algae	: EC50 (<i>Desmodesmus subspicatus</i> (green algae)): 1,5 mg/l
	Exposure time: 72 h
	GLP: yes
Toxicity to bacteria	: EC0 (Bacteria): > 3.000 mg/l
	GLP:
Toxicity to fish (Chronic toxicity)	: NOEC: 0,135 mg/l
	Exposure time: 100 d
	Species: <i>Oncorhynchus mykiss</i> (rainbow trout)
	Method: OECD Test Guideline 210
	GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,32 mg/l
	Exposure time: 21 d
	Species: <i>Daphnia magna</i> (Water flea)
	Method: OECD Test Guideline 211
	GLP: yes

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Toxicity to fish	: LC50 (Fish): > 1 - 10 mg/l
	Exposure time: 96 h
	Method: OECD Test Guideline 203
	LC50 (<i>Brachydanio rerio</i> (zebrafish)): 2,95 mg/l
	Exposure time: 96 h
	Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia</i> (water flea)): > 10 - 100 mg/l
	Exposure time: 48 h
	Method: OECD Test Guideline 202
	EC50 (<i>Daphnia magna</i> (Water flea)): 7 mg/l
	Exposure time: 48 h
Toxicity to algae	: EC50 : > 10 - 100 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
	EC50 (<i>Desmodesmus subspicatus</i> (green algae)): 12,5 mg/l
	Exposure time: 72 h
	Method: OECD Test Guideline 201
Toxicity to bacteria	: EC0 (<i>Pseudomonas putida</i>): > 100 mg/l
	Exposure time: 16 h
	Method: DIN 38412
Toxicity to fish (Chronic toxicity)	: NOEC: > 1 mg/l



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

	Exposure time: 28 d Species: Brachydanio rerio Method: OECD Test Guideline 204
	NOEC: 1,8 mg/l Exposure time: 28 d Species: Brachydanio rerio Method: OECD Test Guideline 204
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: see user defined free text
	EC10: 1,76 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 202

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD 301 A

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Biodegradability : Test Type: aerobic
Concentration: 20 mg/l
Result: rapidly biodegradable
Biodegradation: 92 %
Exposure time: 28 d
Method: OECD 301 B

Test Type: anaerobic
Concentration: 102,4 mg/l
Biodegradation: 80 - 90 %
Exposure time: 60 d
Method: see user defined free text
GLP: yes

Chemical Oxygen Demand : 1.000.000 mg/l



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

(COD)

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Biodegradability : Result: rapidly biodegradable
Method: OECD Test Guideline 301

12.3 Bioaccumulative potential

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

110615-47-9:

Partition coefficient: n-
octanol/water : log Pow: < -0,07 (20 °C)

12.4 Mobility in soil

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among
environmental compartments : Adsorption/Soil
Medium: Soil
Koc: 191 Method: see user defined free text

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

Product	: Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.
Waste Code	European Waste Catalogue 20 01 29* According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

For personal protection see section 8.



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
TA Luft List (Germany) : Not applicable
- : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapour or gaseous form: : portionClass 3: 0,7 %
: Organic Substances: Not applicable
: Carcinogenic substances: Not applicable
: Mutagenic: Not applicable
: Toxic to reproduction: Not applicable
- Volatile organic compounds (VOC) content : Percent volatile: 0,24 %
29,9 g/l
VOC content excluding water
- Volatile organic compounds (VOC) content : Percent volatile: 0,24 %
2,47 g/l
VOC content valid only for coating materials used on wood surfaces
- according to Detergents Regulation EC 648/2004 : 5 - <15% Anionic surfactants, <5% Amphoteric surfactants, Non-ionic surfactants, LACTIC ACID
- Diğer kurallar : 13 Aralık 2014 tarihli,29204 sayılı," T.C. Çevre ve Şehircilik Bakanlığı Zararlı Maddeler ve Karışımlara İlişkin Güvenlik Bilgi Formları Hakkında Yönetmeliği " ne uygun düzenlenmiştir.
26 Aralık 2008 27092 (mükerrer) sayılı Tehlikeli Maddelerin ve Müstahzarların Sınıflandırılması Ambalajlanması ve Etiketlenmesi Hakkında Yönetmelik hükümlerine göre hazırlanmıştır.
Maddelerin ve Karışımların Sınıflandırılması, Etiketlenmesi ve Ambalajlanması Hakkında Yönetmelik. 11 Aralık 2013 tarihli, 28848 mükerrer sayılı, T.C. Çevre ve Şehircilik Bakanlığı.

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

- H315 Causes skin irritation.
H318 Causes serious eye damage.



MANUDISH ORIGINAL 10X1 L SCAN

WM 0713953

Order number: 0712575

Version 8.0

Revision Date 28.10.2017

Print Date 07.12.2017

H412 Harmful to aquatic life with long lasting effects.

Further information

Classification procedure: H319 Calculation method

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.